

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/632,749	08/01/2003	Hiroyuki Azuma	NEC 03P101	4659
27667 7590 07/10/2007 HAYES SOLOWAY P.C.			EXAMINER	
3450 E. SUNR	ISE DRIVE, SUITE 14		SOBUTKA, PHILIP	
TUCSON, AZ 85718			ART UNIT	PAPER NUMBER
			2618	·
			MAIL DATE	DELIVERY MODE
			07/10/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/632,749	AZUMA, HIROYUKI	
Office Action Summary	Examiner	Art Unit	
	Philip J. Sobutka	2618	
 The MAILING DATE of this communication app Period for Reply 	ears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be ti vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDON	N. mely filed nthe mailing date of this communication. ED (35 U.S.C. § 133).	
Status	•		
 1) ⊠ Responsive to communication(s) filed on 12 Ag 2a) ⊠ This action is FINAL. 2b) ☐ This 3) ☐ Since this application is in condition for allower closed in accordance with the practice under E 	action is non-final. nce except for formal matters, pr	•	
Disposition of Claims			
4) ☐ Claim(s) 20-38 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 20-38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examine	vn from consideration.		
10)⊠ The drawing(s) filed on 11 May 2006 is/are: a)[Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)□ The oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. So ion is required if the drawing(s) is old	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applica rity documents have been receiv u (PCT Rule 17.2(a)).	tion No ved in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summar	v (PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail I 5) Notice of Informal 6) Other:	Date	

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 20-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Simpson et al (US 5,404,580).

Claim 20. Simpson teaches an external module (smart card) for installation into a mobile communication terminal (Abstract, column 4 lines 49-52), said external module comprising:

a collection mechanism (keypad interface) for communicating with said mobile communication terminal to collect information relating to an internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state) of the mobile to his personal preference and storing the customizing data, hence the data is collected); and

a storage mechanism for storing therein information that has been collected by said collection mechanism (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

As to claim 21, Simpson teaches an external module according to claim 20, further comprising: protocol execution mechanism for requesting said mobile

Art Unit: 2618

communication terminal to execute a communication protocol sequence (Column 4 lines

53-56, where Simpson et al. describe a registration request).

As to claim 22, Simpson teaches an external module according to claim 21, wherein said protocol execution mechanism includes a mechanism for requesting the execution of said communication protocol sequence based on information that has been stored in said storage mechanism (Column 4 lines 53-56, where Simpson et al. disclose a subscriber validation code).

As to claim 23, Simpson teaches an external module according to claim 21, wherein said communication protocol sequence is a communication protocol sequence that is performed by radio between a mobile communication terminal and a base station (Column 4 lines 53-56).

As to claim 24, Simpson teaches an external module according to claim 20, further comprising stored information processing mechanism (microprocessor) for processing information that has been stored in said storage mechanism (Column 4 lines 53-56.

As to claim 25, Simpson teaches an external module according to claim 24, wherein said protocol execution mechanism includes a mechanism for requesting the execution of a communication protocol sequence (registration) based on information that has been processed by said stored information processing mechanism (Column 4 lines 53-56).

As to claim 26, Simpson teaches an external module according to claim 20, wherein said external module is any one of a SIM card, a USIM card, and an IC card

Art Unit: 2618

having higher specifications than a SIM card or USIM card (abstract, column 2, lines 28-36).

Consider claim 27. Simpson teaches a mobile communication terminal into which an external module is installed (Abstract, column 4 lines 49-52), said mobile communication terminal comprising:

an acquisition mechanism (keypad) for acquiring information relating to an internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state) of the mobile to his personal preference and storing the customizing data, hence the data is acquired by the mobile terminal); and

an output mechanism for supplying information that has been acquired by said acquisition mechanism to said external module where the information is stored (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122).

Consider claim 28. Simpson teaches a mobile communication system comprising:

a mobile communication terminal (abstract); and

an external module for installation into said mobile communication terminal (Abstract, column 4 lines 49-52);

wherein said mobile communication terminal comprises:

an acquisition mechanism for acquiring information relating to an internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state) of the mobile to his personal preference and storing the customizing data, hence the data is acquired by the mobile terminal); and

an output mechanism (keypad and microprocessor) for supplying information that has been acquired by said acquisition mechanism to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122);

and wherein said external module comprises:

a collection mechanism for collecting information that has been supplied by said output mechanism of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2); and

a storage mechanism for storing therein information that has been collected by said collection mechanism (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

Consider claim 29. Simpson teaches a method for testing communication protocol in a mobile communication terminal (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4), an external module being installed into said mobile communication terminal (Abstract, column 4 lines 49-52), said method comprising the steps of:

Art Unit: 2618

requesting said mobile communication terminal, by said external module, to execute a communication protocol sequence Column 4 lines 53-56, where Simpson et al. describe a registration request);

executing, by said mobile communication terminal, said communication protocol sequence in accordance with said request by Said external module (Column 4 lines 56-57, where Simpson et al. disclose a registered subscriber);

acquiring, by said mobile communication terminal (keypad), information relating to an internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2);

supplying, by said mobile communication terminal, the acquired information to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122);

collecting, by said external module, information that has been supplied by said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2); and

storing, in said external module, the collected information (Column 6 lines 48- 68, column 7 lines 1-2, figure 3 element 132).

As to claim 30, Simpson teaches an method according to claim 29, wherein said step of requesting to execute a communication protocol sequence includes requesting, by said external module to execute said communication protocol sequence based on information that is stored (Column 4 lines 53-56, where Simpson et al. disclose a subscriber validation code).

Art Unit: 2618

As to claim 31, Simpson teaches an method according to claim 29, wherein said step of executing a communication protocol sequence includes execution by said mobile communication terminal of a communication protocol sequence by radio with a base station (Column 4 lines 53-56).

As to claim 32, Simpson teaches an method according to claim 29, further comprising a step of processing information that is stored in said external module (Column 4 lines 49-56).

As to claim 33, Simpson teaches an method according to claim 32, wherein said step of executing a communication protocol sequence includes requesting, by said external module, execution of a communication protocol sequence based on information that has been processed (Column 4 lines 53-57).

As to claim 34, Simpson teaches an method according to claim 29, wherein said external module is any one of a SIM card, a USIM card, and an IC card having higher specifications than a SliM card or a USIM card (abstract, column 2, lines 28-36).

3. Claims 35-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Simpson et al (US 5,404,580) in view of Rimpela et al (US 6,697,604).

Consider claim 35, Simpson et al. disclose an external module for installation in a mobile communication terminal (Abstract, column 4 lines 49-52), said external module comprising;

Art Unit: 2618

a program execution unit (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4, where Simpson et al. disclose enhancing a service card);

a collection mechanism for communicating with said mobile communication terminal to collect information relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2) and

a storage mechanism for storing therein information that has been collected by said collection mechanism (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

However, Simpson et al. do not disclose collecting during execution of test programs on said test program execution unit. Rimpela et al. disclose collecting during execution of test programs on said test program execution unit (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to collect information during execution of test programs on the test program execution unit, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al. in column 5 lines 33-45).

Consider claim 36, Simpson et al. disclose a mobile communication terminal in which an external module for executing test programs is installed (Abstract, column 4 lines 49-52), said mobile terminal comprising:

Art Unit: 2618

an acquisition mechanism for acquiring information relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state)); and

an output mechanism for supplying information that has been acquired by said acquisition mechanism to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122).

However, Simpson et al. do not specifically disclose acquiring during said test programs. Rimpela et al. disclose acquiring information during the test programs (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to acquire information during the test programs, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al. in column 5 lines 33-45).

Consider claim 37, Simpson et al. disclose a mobile communication system comprising

a mobile communication terminal; and

an external module for installation in said mobile communication terminal (Abstract, column 4 lines 49-52);

wherein said mobile communication terminal comprises:

an acquisition mechanism for acquiring information relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state)); and

an output mechanism for supplying information that has been acquired by said acquisition mechanism to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122);

and wherein said external module comprises:

a program execution unit for performing programs (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4);

a collection mechanism for collecting information that has been supplied by said output mechanism of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2); and

a storage mechanism for storing therein information that has been collected by said collection means (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

However, Simpson et al. do not specifically disclose collecting information for test programs on said program execution unit. Rimpela et al. disclose collecting information for test programs on said test program execution unit (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to collecting information for test

Art Unit: 2618

programs, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al. in column 5 lines 33-45).

Consider claim 38, Simpson et al. disclose a method for communication by executing programs in a mobile communication terminal (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4), an external module being installed in said mobile communication terminal (Abstract, column 4 lines 49-52), said method comprising steps of:

requesting said mobile communication terminal, by said external module, to execute a communication protocol sequence (Column 4 lines 53- 57);

executing, by said mobile communication terminal, said communication protocol sequence in accordance with said request by said external module (Column 4 lines 53-57);

acquiring, by said mobile communication terminal, information relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state));

supplying, by said mobile communication terminal, the acquired information to said external module (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state) and this information is stored on the SIM card);

Art Unit: 2618

collecting, by said external module, information that has been supplied by said mobile communication terminal as part of said program (Column 6 lines 48-68, column 7 lines 1-2); and

storing, in said external module, the collected information from said program (Column 6 lines 48- 68, column 7 lines 1-2, figure 3 element 132).

However, Simpson et al. do not specifically disclose collecting information for test programs. Rimpela et al. disclose collecting information for test programs (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to collect information for test programs, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al in column 5, lines 33-45).

Response to Amendment

- 4. Applicant's arguments with respect to claims 20-38 have been considered but are moot in view of the new ground(s) of rejection.
- 5. Applicant's arguments filed April 12, 2007 have been fully considered but they are not persuasive.

Applicant argues that certain claim terms must be limited to the meaning described in the instant specification. However claims should be given their broadest reasonable interpretation, therefore the meaning used in the rejection is correct. If

Application/Control Number: 10/632,749 Page 13

Art Unit: 2618

applicant intends for the claims to be limited to a specific meaning, this should be present in the claims.

Conclusion

- 6. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

- 8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip J Sobutka whose telephone number is 571-272-7887. The examiner can normally be reached on Monday Friday, 8:30am 5:00pm.
- 9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4177.

Page 14

Art Unit: 2618

10. The central fax phone number for the Office is 571-273-8300.

Most facsimile-transmitted patent application related correspondence is required to be sent to the Central FAX Number.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number.

11. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Philip Sobutka

(571) 272-7887

PHILIP J. SOBUTKA PATENT EXAMINER